

Image not found or type unknown

MICRO-RESIDENCE "LE AZALEE" - MIRANDOLA (MODENA) REBUILDING WITH WOOD AIMING AT SOCIAL AND TECHNOLOGICAL INNOVATION

It is a highly innovative project, which goes beyond the traditional protected housing. The building provides structural solutions that can also be used in the long term and sustainable from the point of view of environmental impact, made entirely of wood with the desire to recreate a domestic atmosphere in an environment with advanced construction technology. The "Le Azalee" micro-residence is made up of six mini apartments and can accommodate up to 12 people and is characterized by a sequence of spaces which, in the combination of the different apartments, generate real specialized bands: individual spaces (bedrooms, small individual loggias), range of shared services (kitchenette, assisted toilets, technical rooms), range of convivial spaces (kitchen and dining room, living room for collective activities, common loggias).

PRODUCT SPECIFICATION


Micro homes for senior citizens

Localization: Mirandola (Modena)

Intended use: Micro homes for senior citizens


Architectural and structural design: Arch. Mauro Frate

Total area: 400ft



BUILDING SYSTEM

Platform-Frame




Reasons for choosing the Platform-Frame system

The Platform-Frame system is ideal for building prefabricated multi-storey homes and other types of timber buildings. This system can be used to create single residential units and condominium buildings of up to four floors in elevation. That explains why this construction technique is especially suitable for timber buildings for social housing needs: structures for emergency accommodation needs and shared community spaces. The system also offers excellent insulation and antiseismic properties: it offers the highest structural coefficient of all timber construction types. It's also an economical and easy to erect system.

About the Platform-Frame system

In the Platform-Frame construction system each floor of a building functions as a platform to support the floors above. Although developed in Northern Europe, the Platform-Frame system is widely used in North America. Each wall or floor is composed of evenly spaced laminated wood or KVH structural timber studs. The building frame is covered on the exterior side by OSB structural cladding, fixed by means of ring-shank nails and metal angle brackets. The Platform-Frame system is generally built on a reinforced concrete plinth. The connection between timber building and foundations is assured by threaded steel bars or expansion anchors.



Sede / Headquarter:

Sistem Costruzioni s.r.l.
Via Montegrappa 18 - 20
41014 Solignano di Castelvetro (MO), Italy
Tel. +39 059 797477 - 797591
Fax. +39 059 797646

info@sistem.it
www.sistem.it

Sucursal Cuba

Centro de Negocios Miramar
Calle 3a e/e 76 y 78, Edificio Beijing,
Piso 1, Oficina 133
Ciudad de la Habana, Cuba
Tel. 0053 7 2040823

sistemcuba@enet.cu
www.sistem.it